









Value Added Features That Set Garden Leisure Spas Apart From Others

- Digital Controls
 On Demand Hydrotherapy
- 4 Fountain Jets & Waterfalls
- 6 Extra Large Footwell
 (Calf and ankle jets included on select models)

- Air & Water Diverters
 User friendly design allows
 user to adjust the amount
 of air and water pressure
- UV Treated, Padded & Stitched Headrests
- Adjustable
 Stainless Steel Jets with
 Optional Illuminated Jet
 Package
 (Jet styles vary by model)

3 Efficient Filtration Systems (Styles may vary - open filter on GL635, & GL525. Enclosed filter on 7' & 8' models)

At Garden Leisure Spas we develop a unique product. We invest time into constructing well-built spas, use the highest quality materials and develop a state-of-the-art therapeutic and entertainment user experience. An infinite amount of research stands behind the jet placement in every Garden Leisure Spa. These spas are built for style, stress reduction, and therapeutic benefits. From comfort seating with UV resistant padded headrests to powerful pumps, Garden Leisure rejuvenates both body and mind.




Engineering Features

The Hydro-Heat Five Point Insulation System

- Icynene[™] Foam
- Double Pane Skirting
- · Maintenance Free Skirting
- Heated Air Space
- Pump Heat Returned






- 1 Optional 24hr Circulation Pump
- 2 Maintenance Free Skirting
- 3 Superior Bond Double Protection
 Glued and Clamped fittings ensure in an extra
 secure bond between pipes and jets
- 4. Oversized Pump System
 Energy efficient on both high and low speeds with
 56 Frame design. Installed on anti-vibration and
 noise reducing pad




- Up To Four Times The Filtration
- Adds Life To Regular Spa Pump
- Energy Efficient Reduces Cost
- Pump Is Whisper Quiet
- Reducing Your Electrical Bill





- * The chart data is based on 10 hours of daily filtration required for an ozonator or bromine generator.
- ** Electricity price at \$.15 / KWH \$







Maintenance Free Skirting and Color Combination Options

Garden Leisure Spas offers a variety of popular color options - designed to fit any decor. With proper care, your hot tub will be as rich and lustrous years from now as it is today.

The Garden Leisure Spa polymer cabinet offers an unparalleled look, texture, and performance. The cabinet is maintenance free and features custom rounded corners and removable panels for access to all areas inside the spa. The Garden Leisure Spas cabinetry is moisture and impact resistant, therefore it doesn't crack or fade. It is also sound proof and flame retardant.

Acrylic Surface Color Choices



Standard Skirting Color & Style Choices





Upgraded "Elite" Skirting Color & Style Choices







SimpleClear™ Water Sanitization

The SimpleClear® UV-C system offers clean and clear water. Using a Hybrid / High Intensity Vacuum Ultraviolet (VUV) technology to neutralize waterborne pathogens and reduce the amount of sanitizer you use. SimpleClear® makes it easier than ever before to maintain clean, clear water.



- Reduces Chemical Usage
- Eliminates Odors
- Low Cost, Low Voltage, Low Maintenance Operation
- No Corrosive By-products such as Nitric Acid or Nitrogen
- Up To 20,000 System Life Hours

in.Stream™, Integrated Bluetooth™ Audio System

Whether you are relaxing alone, sharing time with a loved one or entertaining friends—the sound of music always adds pleasure to the occasion. Garden Leisure Spas offer an optional Bluetooth™ stereo system which includes quality marine speakers for the ultimate sound quality.

Total audio control. Streamed from your spa through the *K-500 topside.

The unit is housed in a dedicated enclosure—conveniently located within easy reach.









Optional Audio System; Bluetooth™ Audio with Marine Grade Speakers

- Control from Topside
- Marine Grade Speakers
- Specifically Designed For Spas

In.Stream audio available on GL863B & L GL753B & L as well as the *GL635L

*When the GL635L stereo option is chosen an upgrade to the K500 topside control will be required to stream audio. See your dealer for details

in.Stream™ Audio System





The Bluetooth® word mark and logo are registered trademarks owned by Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners



Hot Water Hydrotherapy And The Benefits

Dynamic hydrotherapy is our primary goal, it is the heart of our spas. An infinite amount of research stands behind the jet placement in every Garden Leisure Spa. These spas are built for style, stress reduction, and therapeutic benefits. You won't have to play "musical chairs" to gain the utmost comfort from the generous number of therapy jets. These jets are all connected by the Garden Leisure plumbing system, which provides maximum water flow through the use of extra large hoses and tubing. Sure-grip fittings ensure a secure bond between pipes and jets. Neck Jets target neck and shoulders, massage jets soothe shoulders and lower back, Carpal Tunnel Jets ease hands and fingers while Jumbo jets, located in the footwell, provide the ultimate foot massage.

- Strategically Placed For The Utmost Benefits
- Jet Placement Targets Major Muscle Groups For Fast Pain And Stress Relief
- Adjustable, Interchangeable Jets Allow You To Customize The Action
- Diverter Controls Allow The User To Adjust The Amount Of Water Pressure To Each Seat



Garden Leisure Spas' Hydrotherapy System Relieves:






LED Lighting

Spa lighting and color can do more than further enrich your soak, they can define your spa environment. They can change the mood from a party atmosphere to a romantic setting, as well as an added safety feature after dark. The adjustable and synchronized LED lighting system glows from the footwell up to the spa lip and controls. An optional package also includes back-lit jets. The visual delight of water shooting through a beautiful spectrum of color adds unique charm to your spa atmosphere after dusk.





GL863L (Lounger equipped)

Stereo Option Available



91" x 91" x 39" Size:

Jets: 63 - 4 Swirl Stainless Steel Jets

6 Adults Seats: Gallons: 375

Jet System

Gray / Stainless Steel 63 Total Poly Storm Twin Spinner 9 Poly Storm Directional 18 Cluster Storm Twin Spinner 8 Cluster Storm Rifle 11 Mini Storm Directional 11 2 Mini Storm Massage Power Storm Twin Spinner 2 2 Power Storm Massage Ozone Purification Jet 1 Laminar Fountain Jet 2

Weight: Dry / Filled (approx.) 900 lbs. / 4000 lbs.

GL863B (Bench)

Stereo Option Available



Size: 91" x 91" x 39"

Jets: 63 - 4 Swirl Stainless Steel Jets

7 Adults Seats: Gallons: 375

Jet System

0 /0/:1 0/ 1	00 T-1-1
Gray / Stainless Steel	63 Total
Poly Storm Twin Spinner	6
Poly Storm Directional	18
Cluster Storm Twin Spinner	6
Cluster Storm Rifle	13
Mini Storm Directional	15
Power Storm Twin Spinner	2
Power Storm Massage	3
Ozone Purification Jet	1
Laminar Fountain Jet	2

Standard Features on the GL863L & GL863B

Gecko™ YE Class Pack 220V / 60A Pump 1: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque Pump 2: One-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque 7.0 HP Breakdown Torque

Digital Topside Control Digital Topside Control
Heater
100 ft² Filtration
Icynene™ Foam Insulation
Maintenance Free Skirting
ABS Bottom-Wrap
SimpleClear™ UV-C Water Sanitization LED Lighting

LED Lit Skirting Corners Lucite™ Acrylic Surface Material Laminar Fountain Jets Padded Headrests Diverters VGB Compliant Intake 3 Yr. Parts / Labor Warranty

Optional Features

- LED Back-lit Jets
- (CIRC) Circulation Pump
- Stereo System
- (IT) in.Touch[™]
 (CL) in.Clear[™] Sanitation System
- (ELITE) Elite Cabinets

Additional charges apply

GL753L (Lounger equipped) Stereo Option Available



Jets: 53 - 4 Swirl Stainless Steel Jets

6 Adults Seats: 295 Gallons:

Jet System

Gray / Stainless Steel 53 Total Poly Storm Twin Spinner 10 Poly Storm Directional 14 Cluster Storm Twin Spinner 5 Cluster Storm Rifle 10 8 Mini Storm Directional Mini Storm Massage 2 Power Storm Twin Spinner 1 Power Storm Massage 3 Ozone Purification Jet 1 Laminar Fountain Jet 2

Weight: Dry / Filled (approx.) 800 lbs. / 3200 lbs.

GL753B (Bench) Stereo Option Available



Size: 82" x 82" x 39"

Jets: 53 - 4 Swirl Stainless Steel Jets

7 Adults Seats: Gallons: 295

Jet System

53 Total
10
12
7
6
14
2
2
1
2

Standard Features on the GL753L & GL753B

Gecko™ YE Class Pack 220V / 60A Pump 1: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque Pump 2: One-Speed
3.0 HP Continuous Duty
7.0 HP Breakdown Torque

Digital Topside Control Heater 100 ft² Filtration Icynene™ Foam Insulation Maintenance Free Skirting ABS Bottom-Wrap SimpleClear™ UV-C Water Sanitization LED Lighting

LED Lit Skirting Corners Lucite™ Acrylic Surface Material Laminar Fountain Jets Padded Headrests Diverters VGB Compliant Intake 3 Yr. Parts / Labor Warranty

Optional Features

- · LED Back-lit Jets
- (CIRC) Circulation Pump
- Stereo System
- (IT) in.Touch™ (CL) in.Clear™ Sanitation System
- (ELITE) Elite Cabinets

Additional charges apply

$\begin{tabular}{ll} GL635L & (Lounger equipped) \end{tabular}$

Stereo Option Available

GL525L (Lounger equipped)



Size: 78" x 83" x 36"

Jets: 35 - 4 Swirl Stainless Steel Jets

6 Adults Seats: Gallons: 285

Jet System

_		
Gray / Stainless Steel	35 Total	
Poly Storm Twin Spinner	2	
Poly Storm Directional	8	
Cluster Storm Rifle	8	
Mini Storm Directional	17	
Ozone Purification Jet	1	
Laminar Fountain Jet	2	

Weight: Dry / Filled (approx.) 725 lbs. / 3000 lbs.



Size:

Jets: 25 - 4 Swirl Stainless Steel Jets

3 Adults Seats: Gallons: 225

Jet System

Gray / Stainless Steel	25 Total
Poly Storm Twin Spinner	2
Poly Storm Directional	6
Cluster Storm Rifle	2
Mini Storm Directional	15
Ozone Purification Jet	1
Laminar Fountain Jet	2

Weight: Dry / Filled (approx.) 475 lbs. / 2275 lbs.

Standard Features on the GL635L & GL525L			Optional Features
Gecko™ YE Class Pack 220V / 60A Digital Topside Control 1 Pump: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque Heater	50 ft ⁻ Filtration Icynene™ Foam Insulation Lucite™ Acrylic Surface Material Maintenance Free Skirting ABS Bottom-Wrap SimpleClear™ UV-C Water Sanitization LED Lighting	LED Lit Skirting Corners Laminar Fountain Jets Padded Headrests Diverters VGB Compliant Intake 3 Yr. Parts / Labor Warranty	LED Back-lit Jets (CIRC) Circulation Pump Stereo System (IT) in.Touch™ (CL) in.Clear™ Sanitation System (ELITE) Elite Cabinets Additional charges apply

Cover Features & Benefits

- Double Sewn, Hand Grips
 Provide superior durability
 and an extra level
 of comfort.
- 4 Child Resistant
 Locking Mechanisms
 Fasten to each corner of
 the spa, providing that
 extra peace of mind.
- Insulated Heat Bags
 Helps to eliminate heat loss
 between the cover
 fold when spa is
 not in use.
- 4 Sealed Interior
 Hexene Poly Bag
 Protects inner foam core
 by reducing sweating
 and moisture.





Garden Leisure Spas Rest-Assured Warranty



Fifteen Year Shell Structure Warranty

Garden Leisure Spas warrants its spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of FIFTEEN YEARS from the original date of purchase.



Five Year Surface Finish of Shell Warranty

Garden Leisure Spas warrants the surface finish of its spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of FIVE YEARS from the original date of purchase.



Three Year Component and Labor Warranty

Garden Leisure Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of THREE YEARS from the original date of purchase.



Three Year Plumbing Warranty

Garden Leisure Spas warrants all plumbing parts to be free from defects in material and/or workmanship for a period of THREE YEARS from the original date of purchase.



One Year - Other Warranties

See Garden Leisure Spas Limited Warranty for additional information



Swim Spa Collection









Standard Swim Spa Skirting Options



Upgraded "Elite" Swim Spa Skirting Options



Please note: Swim Spas are only available in Sterling Silver Acrylic color.

- Maintenance Free Skirting
 Colors include Gray, Black and Espresso
- Bluetooth™ / FM Audio System with Docking Station and Marine Grade Speakers*
- 3 Stainless Steel Fittings & Grab Bars
- 4. Hi Powered River Jets
- 5 Comfort Padded Headrests & Adjustable Stainless Steel Jets

*Bluetooth $^{\rm TM}$ audio system is standard on GL17 and GL19, Optional on GL13 & Party / Exercise 13'

Party/Exercise 13'

GL Premium 13'

GL Premium 17

GL Premium Dual 19'









Size: 92" x 160" x 51" 29 - Stainless Steel .lets: Seats: 11 or 5 and 1 Swimmer

Gallons: 1100

(4) Swim Jets (6) Illuminated Fountain jets 220V / 60A Electrical 4kW Heater 100 ft² filtration system

Weight: Dry / Filled (approx.) 2200 lbs. / 11000 lbs.

- 1 4.0 Dual Speed Viper Pump
- 1 4.0 One Speed Viper Pump

Size: 92" x 160" x 55" .lets: 10 - Stainless Steel Seats: 4 Adults (1 Swimmer / 3 Seats) Gallons: 1530

(2) Illuminated River Jets (6) Illuminated Fountain jets 220V / 60A Electrical 4kW Heater 100 ft² filtration system

Weight: Dry / Filled (approx.)

2100 lbs. / 14500 lbs.

- (2) 4.0bhp Viper™ pumps
- (1) 7.0bhp pump

92" x 199" x 55" Size: .lets: 30 - Stainless Steel Seats: 5 Adults (1 Swimmer / 4 Seats) Gallons: 1850

(3) Illuminated River Jets (6) Illuminated Fountain jets 220V / 60A Electrical (2) 4kW Heaters 100 ft² filtration system

Weight: Dry / Filled (approx.)

2700 lbs. / 17500 lbs.

Size: 92" x 224" x 55" .lets: 39 - Stainless Steel Seats: 8 Adults (1 Swimmer / 7 Seats) Gallons: Swim 1500 / Spa 270

- (3) Illuminated River Jets
- (8) Illuminated Fountain jets
- (2) 220V / 60A Electrical
- (3) 4kW Heaters
- 150 ft² filtration system
- (2) SimpleClear™ UV/Ozone Sanitization

Weight: Dry / Filled (approx.)

3500 lbs. / 17700 lbs.

Standard Features on the 13 Party / Exercise & GL Premium 13' Swim Spa

Gecko™ Pack Digital Topside Controls Foam Insulation Maintenance. Free Skirting Stainless steel grab bars SimpleClear™ UV/Ozone Sanitation LED Lighting

LED Back-lit Jets - Premium 13' Swimming Lane Graphics (2) Illuminated River Jets - Premium 13' (4) Swim Jets - Party 13 Padded Headrests Diverters

VGB Compliant Intake Lucite™ Sterling Silver Acrylic

*Waterline tile accent standard with option to order without

Optional Features

- LED Back-lit Jets on 13' Party/Exercise
- (CIRC) Circulation Pump
- . (IT) in.Touch™
- Rowing / Tether / Exercise Equipment
 Bluetooth™ Stereo System
- No Waterline Tile Accent (Must specify) on order)
- Elite Cabinets

Additional charges apply

Standard Features on the GL Premium 17' & 19' Swim Spas

Gecko™ Pack (3) 5.0bhp Viper™ pumps (1) 7.0bhp pump Digital Topside Controls Foam Insulation (3) Stainless steel grab bars

Maintenance Free Skirting

SimpleClear™ UV/Ozone Sanitation LED Lighting LED Back-lit Jets Swimming Lane Graphics Rowing / Exercise equipment Padded Headrests Lucite[™] Sterling Silver Acrylic

Diverters

VGB Compliant Intake (3) Illuminated River Jets Bluetooth™ Stereo System

*Waterline tile accent standard with option to order without

Optional Features

- (CIRC) Circulation Pump
- . (IT) in.Touch™
- · No Waterline Tile Accent (Must specify
- on order)
 Elite Cabinets

Additional charges apply

Garden Leisure Swim Spas Rest-Assured Warranty



Twenty Year Shell Structure Warranty

Garden Leisure Swim Spas warrants its spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of TWENTY YEARS from the original date of purchase.



Seven Year Surface Finish of Shell Warranty

Garden Leisure Swim Spas warrants the surface finish of its spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of SEVEN YEARS from the original date of purchase.



Five Year Component and Labor Warranty

Garden Leisure Swim Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of FIVE YEARS from the original date of purchase.



Five Year Plumbing Warranty

Garden Leisure Spas warrants all plumbing parts to be free from defects in material and/or workmanship for a period of FIVE YEARS from the original date of purchase.



One Year - Other Warranties

See Garden Leisure Spas Limited Warranty for additional information



Spa Safety

- Maintain constant adult supervision when children are in or near ANY body of water.
- Install fences, barriers and spa covers to prevent unsupervised access, especially by young children.
- Always completely remove your spa cover before using your spa.
- Inspect your spa equipment on a regular basis to ensure that it is in good working order and that it is safe.
- Always test the temperature of your spa's water before entering the spa. It is recommended that maximum water temperature never exceed 104°F (40°C). Do not soak for more than 15 minutes at one sitting in 104°F (40°C) water.
- Individuals with certain medical conditions, such as
 heart disease, diabetes, high or low blood pressure, and
 pregnant women, should not use a spa without advance
 approval by their physician. If a person has any doubt
 as to whether a medical condition should limit their use
 of a spa, they should seek prior consultation with their
 physician. Individuals with open cuts or wounds should
 not use a spa until completely healed
- Never use a spa when you are alone and never use a spa while using or after using alcohol or drugs that may cause sleepiness, drowsiness, or raise or lower blood pressure.
- Ask your city about any specific rules and regulations that apply to spa ownership, including local electrical codes.

- Do not allow unsafe or risky behavior in and around the spa.
- Consult with a licensed electrician for installation of or any work to your spa. If you are installing your own spa, it is your responsibility that all work performed complies with the National Electrical Code and all other applicable codes and regulations.
- Your spa's jets, grates, skimmer and main drain should be properly maintained and secured. Spa users should be instructed not to stick any part of their body into such outlets as entrapment and drowning can occur. Spa users with long hair should also be cautioned not to get their hair near such outlets.
- Keep a first aid kit in close proximity to your spa.
- Maintenance and safety manuals contain detailed tips and recommendations and should be read, followed and applied on a regular basis.
- We encourage all spa owners to request safety related publications from the Association of Pool and Spa Professionals (APSP), including: "The Sensible Way To Enjoy Your Spa or Hot Tub," and "Pool and Spa Emergency Procedures for Infants and Children." These APSP publications can be ordered from the APSP by calling or writing them at the APSP, 2111 Eisenhower Avenue, Suite 500, Alexandria, VA 22314, (703) 838-0083, or by visiting the APSP consumer Web site at www.theapsp.org.

Be Responsible



Your Authorized Garden Leisure Spa Dealer

www.gardenleisurespas.com



The manufacturer reserves the right to change product selections and/or make product modifications.















Garden Leisure Spas proudly uses recycled materials where possible. We practice "Green Manufacturing" procedures, while ensuring an unrivaled standard of quality.

Garden Leisure Cares!